

# AssignAutoresponder

Last Modified on 11/01/2017 10:09 am CDT

## Overview

Assign an Autoresponder to a contact in the database via an http form post.

## Post Url

<https://hyperdrivepro.morethanrewards.com/api/2/AssignAutoresponder.aspx>

- SSL is required

## Important Notes

Contact's email must be "Opt In" before an Autoresponder can be assigned

## Form Fields

Field	Max Length*	Required	Notes
response_type		Yes	Set this field value to <b>json</b> to return results in JSON format
accountid		Yes	<b>Must be numeric.</b> Account ID for this account.
apikey		Yes	API Key for this account.
identifymethod1		Yes	Values:  <b>1</b> : By contactid (It's recommended that you use this method and store our contactid in your system)  <b>2</b> : By primary email on file. If there are multiple matches for the email address, we will choose the first one (by add date)  <b>3</b> : By email or other email on file. If there are multiple matches for the email address, we will choose the first one (by add date)

identifyvalue	75	Yes	Value changes based on <b>indentifymethod</b> . Must be integer if contactid, otherwise must be an email address on file
autoresponder	50	Yes	Must match Autoresponder "Name" exactly

\* An error will not result if Max Length is exceeded. Data will be trimmed to this length.

## Sample Results

### Success Messages

```
Success  
  
▶ Details
```

### Sample Failure Messages

```
Authentication failed  
  
Email status is not Opt In
```