

GetContacts

Last Modified on 11/01/2017 9:51 am CDT

Overview

Lists contact or contacts based on information sent via an http form post.

Post Url

<https://hyperdrivepro.morethanrewards.com/api/2/GetContacts.aspx>

- SSL is required

Form Fields

Field	Max Length*	Required	Notes
response_type		Yes	Set this field value to json to return results in JSON format
pagingsize		Strongly Recommended	Number of results to return per API call * Will be required in the future
pagingoffset		Strongly Recommended	Number of records to offset. (If your pagingsize was 100, then you'd offset 100 records on your second call to the API)
accountid		Yes	Must be numeric. Account ID for this account.
teammemberid		No	Must be numeric. ID of Team Member database that contact record belongs to. Leave blank for all account contacts.
apikey		Yes	API Key for this account.
contactid		No	Specify contact id using the database id. (Optional). If this contactid is left blank, all contacts for this account will be displayed.
			Specify an email address.

email		No	Multiple matches will be returned if multiple contacts have the same email address.
phone		No	Specify a phone number. Searches all 4 contact phone number fields. Multiple matches will be returned if multiple contacts have the same phone number.
categoryid		No	Specify a Category ID. Only contacts with matching Category ID will be returned
category2id		No	Specify a Category 2 ID. Only contacts with matching Category 2 ID will be returned. (Category 2 is the customizable 2nd category that can be named whatever the user would like)
flagid		No	Specify a Flag ID. Only contacts assigned a matching Flag will be returned
sourceid		No	Specify a Source ID. Only contacts with matching Source ID will be returned
othersystemid		No	Specify contact id using the database Other System ID. (Optional).
clienttouch	1	No	Specify "1" to display only contacts that are in the Team Member's ClientTouch. Be sure to specific the proper TeamMemberID , otherwise account owner's ClientTouch group will be used.
getcategories	1	No	Specify "1" to display additional category details with the results <i>Please note: Use this option only when needed. This will slow down your results.</i>
			Specify "1" to display flags assigned to the contact with the results

getflags	1	No	<i>Please note: Use this option only when needed. This will slow down your results.</i>
getsource	1	No	Specify "1" to display additional source details with the results <i>Please note: Use this option only when needed. This will slow down your results.</i>
getteam	1	No	Specify "1" to display team database that the contact is assigned to <i>Please note: Use this option only when needed. This will slow down your results.</i>
adddateafter		No	Enter a date in US Date / Time Format example: 4/24/2013 2:01PM Only contacts added after the date given will be returned. 4/24/2013 assumes midnight, so anything added on or after 4/24/2013 would be included. Time Zone for Add Date is US Central Time
aftereditdate		No	Enter a date in US Date / Time Format example: 4/24/2013 2:01PM Only Contacts edited after the date given will be returned. 4/24/2013 assumes midnight, so anything added on or after 4/24/2013 would be included. Time Zone for Edit Date is US Central Time

* An error will not result if Max Length is exceeded. Data will be trimmed to this length.

Sample Results

Success Message (for 1 contact – not all fields displayed – blank fields are omitted from the results)

```
4302
2
Adam
Dalton
(707) 555-1234
Cell
test@email.com
10/26/2006 12:38:15 PM
10/26/2006 12:38:15 PM
False
```

```
2
HOT
```

```
576
High Value Prospect
```

```
3233
```

Sample Failure Message

```
Authentication failed
```