

ContactFlags

Last Modified on 11/01/2017 10:02 am CDT

Overview

Update a contact in the database via an http form post.

Post Url

<https://hyperdrivepro.morethanrewards.com/api/2/ContactFlags.aspx>

- SSL is required

Form Fields

Field	Max Length*	Required	Notes
response_type		Yes	Set this field value to json to return results in JSON format
accountid		Yes	Must be numeric. Account ID for this account.
apikey		Yes	API Key for this account.
identifymethod1		Yes	Values: 1 : By contactid (It's recommended that you use this method and store our contactid in your system) 2 : By primary email on file. If there are multiple matches for the email address, we will choose the first one (by add date) 3 : By email or other email on file. If there are multiple matches for the email address, we will choose the first one (by add date)
identifyvalue	75	Yes	Value changes based on identifymethod . Must be integer if contactid, otherwise must be an email address

			on file
mode	1	Yes	<p>Values:</p> <p>1 : Add Flag (If flag already exists for the contact, success will be reported)</p> <p>2 : Remove Flag (If flag does not exist for the contact, success will be reported)</p>
flag	50	Yes	Must match flag "Name" exactly

* An error will not result if Max Length is exceeded. Data will be trimmed to this length.

Sample Results

Success Messages

```

Success
▶ Details

Success
▶ Details

```

Sample Failure Messages

```

Authentication failed

```